State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page
000000000000000000000000000000000000000	00000016758	1 of 23
Contract Dates		Origin
02/09/2010 to 0	1/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Bosley	828-2217	Approved

Phone #: 802-479-1002

Line #	t Item ID	Item Desc	UOM	Unit Price	Max Qty	Max Amt
1	10122	3'X4' ENTRANCE MAT	EA	40.00000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN
DARK BROWN
LIGHT GREEN
CHARCOAL
RED/BLACK
MEDIUM BLUE
MEDIUM GRAY
BLUESTONE
EVERGREEN
BORDEAUX

NAVY WHITE

AQUA MARINE GOLD/YELLOW SOLID RED

ORANGE PURPLE

2

10123 4'X4' ENTRANCE MAT EA 66.95000 0.00 0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page
000000000000000000016758		2 of 23
Contract Dates		Origin
02/09/2010 to 01/31/2011		CPŠ
Description:		Contract Maximum
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Bosley	828-2217	Approved

Phone #: 802-479-1002

Unit Max Max Line # Item ID **Item Desc** HOL Price Qty Amt

CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN **DARK BROWN** LIGHT GREEN CHARCOAL RED/BLACK MEDIUM BLUE MEDIUM GRAY **BLUESTONE EVERGREEN BORDEAUX NAVY**

WHITE **AQUA MARINE**

GOLD/YELLOW SOLID RED

ORANGE PURPLE

10124

3

MANUFACTURER: WATERHOG CLASSIC

4'X5' ENTRANCE MAT EΑ 83.70000 0.00 0.00

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES: MEDIUM BROWN **DARK BROWN** LIGHT GREEN

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page
000000000000000000000000000000000000000	000000016758	3 of 23
Contract Dates		Origin
02/09/2010 to 0)1/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Bosley	828-2217	Approved

Phone #: 802-479-1002

			Unit	Max	Max
Line # Item ID	Item Desc	UOM	Price	Qty	Amt
CHARCOAL					
RED/BLACK					
MEDIUM BLUE					
MEDIUM GRAY					
BLUESTONE					
EVERGREEN					
BORDEAUX					
NAVY					
WHITE					
AQUA MARINE					
GOLD/YELLOW					
SOLID RED					
ORANGE					
PURPLE					
TORTLE					
4 10125	4'X6' ENTRANCE MAT	EA	80.00000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN **DARK BROWN** LIGHT GREEN CHARCOAL RED/BLACK MEDIUM BLUE MEDIUM GRAY **BLUESTONE EVERGREEN BORDEAUX** NAVY WHITE **AQUA MARINE** GOLD/YELLOW SOLID RED **ORANGE**

PURPLE

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page
000000000000000000000000000000000000000	000000016758	4 of 23
Contract Dates		Origin
02/09/2010 to 0	1/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Bosley	828-2217	Approved

Phone #: 802-479-1002

				Unit	Max	Max
Line #	Item ID	Item Desc	UOM	Price	Qty	Amt
5	10126	4'X7' ENTRANCE MAT	EA	117.20000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN

DARK BROWN

LIGHT GREEN

CHARCOAL

RED/BLACK

MEDIUM BLUE

MEDIUM GRAY

BLUESTONE

EVERGREEN

BORDEAUX

NAVY

WHITE

AQUA MARINE GOLD/YELLOW

SOLID RED

ORANGE

PURPLE

10127 4'X8' ENTRANCE MAT EΑ 123.20000 0.00 0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page	
000000000000000000016758		5 of 23	
Contract Dates		Origin	
02/09/2010 to 01/31/2011		CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00	
Buyer Name	Buyer Phone	Contract Status	
Dona Bosley	828-2217	Approved	

Phone #: 802-479-1002

Unit Max Max Line # Item ID HOM **Item Desc** Price Qty Amt

EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN LIGHT GREEN CHARCOAL RED/BLACK MEDIUM BLUE MEDIUM GRAY **BLUESTONE EVERGREEN BORDEAUX** NAVY WHITE

AQUA MARINE GOLD/YELLOW

SOLID RED

ORANGE

10128

PURPLE

7

MANUFACTURER: WATERHOG CLASSIC

4'X9' ENTRANCE MAT FΑ 150.70000 0.00 0.00

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN LIGHT GREEN

CHARCOAL

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page
000000000000000000000000000000000000000	000000016758	6 of 23
Contract Dates		Origin
02/09/2010 to 0	1/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Bosley	828-2217	Approved

Phone #: 802-479-1002

Line # Item ID	Item Desc	UOM	Unit Price	Max Qty	Max Amt
RED/BLACK MEDIUM BLUE MEDIUM GRAY BLUESTONE EVERGREEN BORDEAUX NAVY WHITE AQUA MARINE GOLD/YELLOW SOLID RED ORANGE PURPLE	NOM DOOS	Jun		Sig	,
8 10129	4'X10' ENTRANCE MAT	EA	133.50000	0.00	0.00
9 10130	4'X11' ENTRANCE MAT	EA	184.15000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN **DARK BROWN** LIGHT GREEN CHARCOAL RED/BLACK MEDIUM BLUE MEDIUM GRAY **BLUESTONE FVFRGRFFN BORDEAUX NAVY** WHITE **AQUA MARINE** GOLD/YELLOW SOLID RED **ORANGE**

PURPLE

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page
000000000000000000016758		7 of 23
Contract Dates		Origin
02/09/2010 to 01/31/2011		CPŠ
Description:		Contract Maximum
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00
Buyer Name Buyer Phone		Contract Status
Dona Boslev	828-2217	Approved

Phone #: 802-479-1002

				Unit	Max	Max
Line #	Item ID	Item Desc	UOM	Price	Qty	Amt
10	10131	4'X12' ENTRANCE MAT	EA	184.80000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN

LIGHT GREEN

CHARCOAL

CHARCOAL

RED/BLACK

MEDIUM BLUE

MEDIUM GRAY

BLUESTONE

EVERGREEN BORDEAUX

BOKDE

NAVY WHITE

AQUA MARINE

GOLD/YELLOW

SOLID RED

10132

ORANGE PURPLE

MANUFACTURER: WATERHOG CLASSIC

4'X13' ENTRANCE MAT EA 217.67000 0.00 0.00

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641

Contract ID		Page
000000000000000000000000000000000000000	000000016758	8 of 23
Contract Dates		Origin
02/09/2010 to 0)1/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Boslev	828-2217	Approved

Phone #: 802-479-1002

Unit Max Max Line # Item ID Item Desc UOM Price Qty Amt

EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN LIGHT GREEN CHARCOAL

RED/BLACK MEDIUM BLUE

MEDIUM GRAY

BLUESTONE EVERGREEN

BORDEAUX NAVY

WHITE

AQUA MARINE

GOLD/YELLOW SOLID RED

ORANGE

PURPLE

12 10133

4'X14' ENTRANCE MAT

234.40000

FΑ

0.00

0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES: MEDIUM BROWN

DARK BROWN LIGHT GREEN

CHARCOAL

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Max

Max

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page
000000000000000000000000000000000000000	00000016758	9 of 23
Contract Dates		Origin
02/09/2010 to 0	1/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Bosley	828-2217	Approved

Unit

Phone #: 802-479-1002

L	ine # Item ID	Item Desc	UOM	Price	Qty	Amt
	RED/BLACK				-	
	MEDIUM BLUE					
	MEDIUM GRAY					
	BLUESTONE					
	EVERGREEN					
	BORDEAUX					
	NAVY					
	WHITE					
	AQUA MARINE					
	GOLD/YELLOW					
	SOLID RED					
	ORANGE					
	PURPLE					
1	3 10134	4'X15' ENTRANCE MAT	EA	251.15000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN
DARK BROWN
LIGHT GREEN
CHARCOAL
RED/BLACK
MEDIUM BLUE
MEDIUM GRAY
BLUESTONE
EVERGREEN
BORDEAUX
NAVY
WHITE
AQUA MARINE
GOLD/YELLOW
SOLID RED

ORANGE PURPLE

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA Page

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Pag	е
000000000000000000000000000000000000000	00000016758	10 o	f 23
Contract Dates		Origin	
02/09/2010 to 0	1/31/2011	CPŠ	
Description:		Contract Maximus	n
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.0	0
Buyer Name	Buyer Phone	Contract Status	
Dona Bosley	828-2217	Approved	

Phone #: 802-479-1002

				Unit	Max	Max
Line #	Item ID	Item Desc	UOM	Price	Qty	Amt
14	10135	4'X16' ENTRANCE MAT	EA	246.40000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN

LIGHT GREEN

CHARCOAL

RED/BLACK

MEDIUM BLUE

MEDIUM GRAY

BLUESTONE

EVERGREEN

BORDEAUX

NAVY

WHITE

AQUA MARINE

GOLD/YELLOW

SOLID RED

ORANGE PURPLE

15 10136 4'X17' ENTRANCE MAT EA 284.64000 0.00 0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page
000000000000000000000000000000000000000	000000016758	11 of 23
Contract Dates		Origin
02/09/2010 to 0)1/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Boslev	828-2217	Approved

Phone #: 802-479-1002

Unit Max Max Line # Item ID HOM **Item Desc** Price Qty Amt EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN LIGHT GREEN CHARCOAL RED/BLACK MEDIUM BLUE MEDIUM GRAY **BLUESTONE EVERGREEN**

BORDEAUX NAVY

WHITE AQUA MARINE

GOLD/YELLOW SOLID RED

ORANGE

PURPLE

10137

16

4'X18' ENTRANCE MAT

FΑ 301.40000 0.00

0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES: MEDIUM BROWN

DARK BROWN LIGHT GREEN

CHARCOAL

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Max

Max

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page	
000000000000000000000000000000000000000	00000016758	12 of 23	
Contract Dates		Origin	
02/09/2010 to 0	1/31/2011	CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00	
Buyer Name	Buyer Phone	Contract Status	
Dona Bosley	828-2217	Approved	

Unit

11084

Phone #: 802-479-1002

Line	# Item ID	Item Desc	UOM	Price	Qty	Amt
	RED/BLACK				<u>-</u>	
	MEDIUM BLUE					
	MEDIUM GRAY					
	BLUESTONE					
	EVERGREEN					
	BORDEAUX					
	NAVY					
	WHITE					
	AQUA MARINE					
	GOLD/YELLOW					
	SOLID RED					
	ORANGE					
	PURPLE					
17	10138	4'X19' ENTRANCE MAT	EA	318.10000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN
DARK BROWN
LIGHT GREEN
CHARCOAL
RED/BLACK
MEDIUM BLUE
MEDIUM GRAY
BLUESTONE
EVERGREEN
BORDEAUX
NAVY
WHITE
AQUA MARINE
GOLD/YELLOW
SOLID RED

ORANGE PURPLE

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page
00000000000000	000000016758	13 of 23
Contract Dates		Origin
02/09/2010 to 0	01/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	ATS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Boslev	828-2217	Approved

Phone #: 802-479-1002

				Unit	Max	Max
Line #	Item ID	Item Desc	UOM	Price	Qty	Amt
18	10139	4'X20' ENTRANCE MAT	EA	308.00000	0.00	0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING, NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN

LIGHT GREEN

CHARCOAL

RED/BLACK

MEDIUM BLUE

MEDIUM GRAY

BLUESTONE

EVERGREEN

BORDEAUX

NAVY

WHITE

AQUA MARINE

GOLD/YELLOW

SOLID RED ORANGE

PURPLE

19 10140 4'X21' ENTRANCE MAT EA 351.60000 0.00 0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page
00000000000000	000000016758	14 of 23
Contract Dates		Origin
02/09/2010 to 0	01/31/2011	CPŠ
Description:		Contract Maximum
CPS-FLOOR MA	ATS (PURCHASE)	\$9,999,999.00
Buyer Name	Buyer Phone	Contract Status
Dona Boslev	828-2217	Approved

Phone #: 802-479-1002

		IVIAX	Max
Line # Item ID Item Desc UOM	Price	Qty	Amt

EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN LIGHT GREEN CHARCOAL RED/BLACK MEDIUM BLUE MEDIUM GRAY **BLUESTONE EVERGREEN BORDEAUX** NAVY WHITE AQUA MARINE GOLD/YELLOW

SOLID RED **ORANGE**

10141

20

PURPLE

CUSTOM SIZED ENTRANCE MAT

FΑ 0.01000 0.00

0.00

MANUFACTURER: WATERHOG CLASSIC

PERFORMANCE: ENTRANCE MATTING WILL REDUCE THE AMOUNT OF CONTAMINANTS AND PARTICLES ENTERING THE BUILDING BY PROVIDING A SCRAPING/WIPING SURFACE INSIDE THE ENTRY DOOR. HIGH PERFORMANCE MATTING FOR PURCHASE UNDER THIS CONTRACT SHALL EFFECTIVELY HELP PREVENT SOIL, ICE MELT, SNOW, OTHER PARTICLES AND WATER FROM ENTERING THE BUILDING BEYOND THE MATTED AREA. THE MATTING WILL STORE PARTICLES AND MOISTURE FOR LATER REMOVAL. MATTING WILL MINIMIZE TRACKING INTO BUILDING BY STORING PARTICLES AND WATER BELOW SHOW LEVEL WITHIN THE MAT TO PREVENT FURTHER TRANSFER TO BUILDING. MAST IS EASY TO CLEAN BY VACUUMING, EXTRACTION CLEANING, WET/DRY VACUUM OR OTHER STANDARD CLEANING METHOD. MAT PROVIDES A SAFE SURFACE PREVENTING SLIP AND FALL ACCIDENTS. MATS DO NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACKING MATERIAL IS OF RUBBER EXHIBITING POSITIVE RESILENCE, ABRASION, WEAR AND TENSILE QUALITIES. VINYL BACKING IS NOT ACCEPTABLE. THE MAT SHALL HAVE RAISED RUBBER EDGING CONTINUOUS WITH BACKING TO HOLD WATER AND CONTAMINANT WITHIN THE MATT. THE MAT IS AVAILABLE IN FLAT AND GRIPPER BACKING TYPES. THE GRIPPER SURFACE WILL EXTEND FOR ENTIRE MAT COVERAGE AREA AND IS NON-POROUS INHIBITING MOLD/MILDEW GROWTH.

SURFACE MATERIAL: IS MADE OF DURABLE PERMANENT TWO-LEVEL CONSTRUCTION EFFECTIVELY REMOING SOIL AND MOISTURE AND TRAPPING AND HOLDING PARTICLES AND MOISTURE BELOW THE MATTING FACE SURFACE. THEY ARE RESISTANT TO CRUSHING AND EXHIBIT LONG LIFE SUCH AS MOLDED REINFORCED TEXTILE AND SHALL BE PREMIUM POLYPROPLENE OR NYLON TEXTILE FACE.

WEIGHT: APPROXIMATELY 24 OUNCES PER SQUARE YARD.

MATS EXHIBIT QUALITIES OF QUICK DRYING. NO FADING OR BREAKDOWN AND ANTI-STATIC.

CUSTOM SIZE PRICING:

WIDTHS AVAILABLE: 3, 4, 6 FEET

LENGETH AVAILABLE: UP TO 60 FEET

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page	
000000000000000000000000000000000000000	000000016758	15 of 23	
Contract Dates		Origin	
02/09/2010 to 0	1/31/2011	CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00	
Buyer Name	Buyer Phone	Contract Status	
Dona Bosley	828-2217	Approved	

Phone #: 802-479-1002

Unit Max Max **UOM** Line # Item ID **Item Desc Price** Qty Amt

NON CUSTOM SIZES: 3.85/SQUARE FOOT

CUSTOM SIZES: 4.18/SQUARE FOOT

COLORS OFFERED ALL SIZES:

MEDIUM BROWN DARK BROWN

LIGHT GREEN

CHARCOAL

RED/BLACK

MEDIUM BLUE

MEDIUM GRAY

BLUESTONE

EVERGREEN

BORDEAUX

NAVY

WHITE

AQUA MARINE

GOLD/YELLOW

SOLID RED

ORANGE PURPLE

21 10142 3'X4' INTERIOR MAT

EΑ

31.00000

0.00

0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE:

RED BLACK

BROWN TONE

CABOT GREY

DARK GRANITE

CHOCOLATE

GREY

CHARCOAL

PLATINUM

NAVY

SOLID BLUE

EMERALD GREEN

FIR GREEN

SOLID RED

MIDNIGHT BURGANDY

STEEL BLUE

STARDUST GRAY

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



0.00

Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page	
000000000000000000000000000000000000000	00000016758	16 of 23	
Contract Dates		Origin	
02/09/2010 to 0	1/31/2011	CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MA	TS (PURCHASE)	\$9,999,999.00	
Buyer Name Buyer Phone		Contract Status	
Dona Bosley	828-2217	Approved	

Phone #: 802-479-1002

Line		Item Desc	UOM	Unit Price	Max Qty	Max Amt
	SUEDE CRANBERRY					
22	10143	4'X4' INTERIOR MAT	EA	53.25000	0.00	0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT. SPILL AND SOIL CONTROL. MATS MINIZIE SLIP. TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE: RED BLACK

BROWN TONE

CABOT GREY

DARK GRANITE

CHOCOLATE

GRFY

CHARCOAL

PLATINUM

NAVY

SOLID BLUE

EMERALD GREEN

FIR GREEN

SOLID RED

MIDNIGHT

BURGANDY

STEEL BLUE

STARDUST GRAY SUFDE

CRANBERRY

23 10144 4'X5' INTERIOR MAT FA 66.58000 0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE:

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page	
000000000000000000016758		17 of 2	23
Contract Dates		Origin	
02/09/2010 to 01/31/2011		CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00	
Buyer Name Buyer Phone		Contract Status	
Dona Bosley	828-2217	Approved	

Unit

Price

UOM

Phone #: 802-479-1002

Item Desc

CABOT GREY
DARK GRANITE
CHOCOLATE
GREY
CHARCOAL
PLATINUM
NAVY
SOLID BLUE
EMERALD GREEN
FIR GREEN

SOLID RED MIDNIGHT BURGANDY STEEL BLUE

Line # Item ID

RED BLACK BROWN TONE

STEEL BLUE STARDUST GRAY SUEDE

CRANBERRY

24 10145 4'X6'

4'X6' INTERIOR MAT

EA 62.14000

0.00

Max

Qty

0.00

Max

Amt

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE:

RED BLACK BROWN TONE

CABOT GREY

DARK GRANITE CHOCOLATE

GREY

CHARCOAL

PLATINUM

NAVY

SOLID BLUE

EMERALD GREEN

FIR GREEN

SOLID RED

MIDNIGHT

BURGANDY

STEEL BLUE

STARDUST GRAY

SUEDE

CRANBERRY

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page	
000000000000000000000000000000000000000	00000016758	18 of 23	
Contract Dates		Origin	
02/09/2010 to 0	1/31/2011	CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00	
Buyer Name Buyer Phone		Contract Status	
Dona Boslev 828-2217		Approved	

Phone #: 802-479-1002

				Unit	Max	Max
Line #	Item ID	Item Desc	UOM	Price	Qty	Amt
25	10146	4'X7' INTERIOR MAT	EA	93.20000	0.00	0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE:

RED BLACK

BROWN TONE

CABOT GREY

DARK GRANITE CHOCOLATE

GRFY

GREY

CHARCOAL

PLATINUM

NAVY

SOLID BLUE

EMERALD GREEN

FIR GREEN

SOLID RED

MIDNIGHT BURGANDY

STEEL BLUE

STARDUST GRAY

SUEDE

CRANBERRY

26 10147 4'X8' INTERIOR MAT

EA 82.86000

0.00

0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE: RED BLACK BROWN TONE

CABOT GREY

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Max

Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page	
000000000000000000000000000000000000000	000000016758	19 of 23	
Contract Dates		Origin	
02/09/2010 to 0	1/31/2011	CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00	
Buyer Name Buyer Phone		Contract Status	
Dona Boslev 828-2217		Approved	

Hois

Phone #: 802-479-1002

			Onit	IVIAX	IVIAA
Line # Item ID	Item Desc	UOM	Price	Qty	Amt
DARK GRANITE					
CHOCOLATE					

CHOCOLATE
GREY
CHARCOAL
PLATINUM
NAVY
SOLID BLUE
EMERALD GREEN
FIR GREEN
SOLID RED
MIDNIGHT
BURGANDY
STEEL BLUE
STARDUST GRAY
SUEDE
CRANBERRY

27 10148 4'X9' INTERIOR MAT EA 119.85000 0.00 0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE: RED BLACK **BROWN TONE CABOT GREY** DARK GRANITE **CHOCOLATE GREY CHARCOAL PLATINUM** NAVY SOLID BLUE **EMERALD GREEN** FIR GREEN SOLID RED **MIDNIGHT BURGANDY** STEEL BLUE STARDUST GRAY SUEDE **CRANBERRY**

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA



Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641 USA

Contract ID		Page	
000000000000000	00000016758	20 of 23	
Contract Dates		Origin	
02/09/2010 to 01	1/31/2011	CPŠ	
Description:		Contract Maximum	
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00	
Buyer Name Buyer Phone		Contract Status	
Dona Boslev 828-2217		Approved	

Phone #: 802-479-1002

				Unit	Max	Max
Line #	Item ID	Item Desc	UOM	Price	Qty	Amt
28	10149	4'X10' INTERIOR MAT	EA	103.55000	0.00	0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

COLORS AVAILABLE: RED BLACK

BROWN TONE

CABOT GREY

DARK GRANITE

CHOCOLATE

GREY

GREY

CHARCOAL

PLATINUM

NAVY

SOLID BLUE

EMERALD GREEN

FIR GREEN

SOLID RED

MIDNIGHT

BURGANDY

STEEL BLUE

STARDUST GRAY

SUEDE

CRANBERRY

29 10150 CUSTOM SIZE INTERIOR MAT

EA 0.01000

0.00

0.00

MANUFACTURER: TRI GRIP #105

PERFORMANCE: HIGH PERFORMANCE FINISHING MAT FOR HIGH TRAFFIC AREAS PROVIDES A GOOD WIPING SURFACE. HELPS CONTROL DUST AND AID IN SPOT, SPILL AND SOIL CONTROL. MATS MINIZIE SLIP, TRIP AND FALL HAZARDS. MAT EASILY CLEANED USING A CONVENTIONAL VACUUM OR EXTRACTION CLEANER. MATS SHALL NOT SUPPORT MICROBIAL GROWTH.

CONSTRUCTION: BACK MATERIAL IS MOLDED RUBBER AND SHALL RESIST CURING AND CRACKING. AVAILABLE IN FLAT, GRIPPER OR SUCTION BACKING TYPES AND BACK IS MADE OF SOLID NON-POROUS MATERIAL.

SURFACE MATERIALS: HEAVY DUTY ANTI-STATIC TUFTED TEXTILE SUCH AS NYLON PROVIDING DURABILITY AND ABSORPTION. OLEFIN IS NOT ACCEPTABLE. FACE YEARS SHALL BE TIGHT TWITSTED FILAMENT AND RESISTANT TO CRUSHING AND PACKING SO PARTICLES FILTER INTO THE MAT RATHER THA STAYING ON TOP.

FACE WEIGHT: APPROXIMATELY 18 OUNCES PER SQUARE YARD.

CUSTOM SIZES:

WIDTHS AVAILABLE: 3, 4, 6 FEET

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Vendor ID 0000001920 Swish Kenco Ltd **PO Box 304 Barre VT 05641** USA

Contract ID		Page
000000000000000000000000000000000000000	000000016758	21 of 23
Contract Dates		Origin
02/09/2010 to 01/31/2011		CPŠ
Description:		Contract Maximum
CPS-FLOOR MATS (PURCHASE)		\$9,999,999.00
Buyer Name Buyer Phone		Contract Status
Dona Bosley	828-2217	Approved

Phone #: 802-479-1002

Unit Max Max Line # Item ID **UOM Item Desc** Price Qty Amt LENGTH AVAILABLE: UP TO 60 FEET

NON CUSTOM SIZES: 3.85/SQUARE FOOT

CUSTOM SIZES: 4.18/SQUARE FOOT

COLORS AVAILABLE: RFD BLACK

BROWN TONE

CABOT GREY

DARK GRANITE

CHOCOLATE

GRFY

CHARCOAL PLATINUM

NAVY

SOLID BLUE

EMERALD GREEN

FIR GREEN

SOLID RED

MIDNIGHT

BURGANDY

STEEL BLUE STARDUST GRAY

SUEDE

CRANBERRY

CONTRACT TERMS AND ADDITIONAL INFORMATION

THIS CONTRACT IS ISSUED IN ACCORDANCE WITH THE STATE OF VERMONT RFP FOR FLOOR MATS. ISSUED NOVEMBER 23, 2009 AND VENDOR'S RESPONSE #2 DATED DECEMBER 9,2009.

THERE ARE NO MINIMUM ORDER CHARGES FOR THIS CONTRACT.

STATE OF VERMONT ATTACHMENT C: STANDARD STATE CONTRACT PROVISIONS DATED JANUARY 8, 2009 AND ATTACHMENT D: COMMODITY PURCHASES TERMS AND CONDITIONS DATED DECEMBER 8, 2008 ARE ATTACHED AND INCORPORATED AS PART OF THIS ORDER.

CONTRACT PERIOD: THIS CONTRACT IS WRITTEN FOR A PERIOD OF TWELVE (12) MONTHS WITH THE OPTION TO RENEW FOR TWO ADDITIONAL TWELVE MONTH PERIODS UPON MUTUAL AGREEMENT OF BOTH PARTIES.

TERMS: NET 30 DAYS

QUANTITY: THE ANNUAL VALUE AND QUANTITIES ARE ESTIMATED ONLY BASED ON PRIOR USAGE; ACTUAL PURCHASES MAY BE HIGHER OR LOWER DEPENDING ON THE STATE'S NEEDS.

DELIVERY: LIABILITY FOR PRODUCT DELIVERY REMAINS WITH THE CONTRACTOR UNTIL THE PRODUCT IS PROPERLY DELIVERED AND SIGNED FOR IN ACCORDANCE WITH THE OFFICE OF PURCHASING & CONTRACTING TERMS AND CONDITIONS. SHIPMENTS SHALL BE SECURELY AND PROPERLY PACKED, ACCORDING TO ACCEPTED COMMERCIAL PRACTICES, WITHOUT EXTRA CHARGE FOR PACKING CASES OR OTHER CONTAINERS. SUCH CONTAINERS WILL REMAIN THE PROPERTY OF THE STATE UNLESS OTHERWISE STATED. DELIVERED GOODS THAT DO NOT CONFORM TO THE SPECIFICATIONS OR ARE NOT IN GOOD CONDITION UPON RECEIPT SHALL BE REPLACED PROMPTLY BY THE CONTRACTOR.

PRICING: ALL EQUIPMENT PRICING IS TO INCLUDE F.O.B. DELIVERY TO THE ORDERING FACILITY. NO REQUEST FOR EXTRA DELIVERY COST WILL BE HONORED. ALL EQUIPMENT SHALL BE DELIVERED ASSEMBLED, SERVICED, OILED, AND READY FOR IMMEDIATE USE, UNLESS OTHERWISE REQUESTED BY THE PURCHASING AGENCY.

QUALITY: ALL PRODUCTS PROVIDED UNDER THESE AGREEMENTS WILL BE NEW AND UNUSED, UNLESS OTHERWISE STATED. FACTORY SECONDS OR REMANUFACTURED PRODUCTS WILL NOT BE ACCEPTED UNLESS SPECIFICALLY REQUESTED BY THE PURCHASING AGENCY. ALL PRODUCTS PROVIDED BY THE CONTRACTOR MUST MEET ALL FEDERAL, STATE, AND LOCAL STANDARDS

State of Vermont

Buildings and General Services Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

> Vendor ID 0000001920 Swish Kenco Ltd PO Box 304 Barre VT 05641



Contract ID		Pa	age	
000000000000000000000000000000000000000	000000016758	22	of 2	23
Contract Dates		Origin		
02/09/2010 to 0)1/31/2011	CPŠ		
Description:		Contract Maxim	um	
CPS-FLOOR MA	ATS (PURCHASE)	\$9,999,999	.00	
Buyer Name	Buyer Phone	Contract Status		
Dona Bosley	828-2217	Approved		

Phone #: 802-479-1002

Line # Item ID Item Desc UOM Price Qty Amt
FOR QUALITY AND SAFETY REQUIREMENTS. PRODUCTS NOT MEETING THESE STANDARDS WILL BE DEEMED UNACCEPTABLE AND
RETURNED TO THE CONTRACTOR FOR CREDIT AT NO CHARGE TO THE STATE.

METHOD OF ORDERING: PURCHASE ORDERS MUST BE USED TO ORDER ITEMS AVAILABLE UNDER THIS CONTRACT. IF VERBAL ORDERS ARE GIVEN A CONFIRMING PURCHASE ORDER MUST BE ISSUED.

INVOICING: ALL INVOICES ARE TO BE RENDERED BY THE CONTRACTOR ON THE VENDOR'S STANDARD BILLHEAD AND FORWARDED DIRECTLY TO THE INSTITUTION OR AGENCY ORDERING MATERIALS OR SERVICES AND SHALL SPECIFY THE ADDRESS TO WHICH PAYMENTS WILL BE SENT.

CANCELLATION: THE STATE SPECIFICALLY RESERVES THE RIGHT TO CANCEL THE CONTRACT, OR ANY PORTION THEREOF, IF, IN THE OPINION OF ITS COMMISSIONER OF BUILDINGS AND GENERAL SERVICES, THE SERVICES OR MATERIALS SUPPLIED BY THE CONTRACTOR ARE NOT SATISFACTORY OR ARE NOT CONSISTENT WITH THE TERMS OF THE CONTRACT

DEFAULT: IN CASE OF DEFAULT OF THE CONTRACTOR, THE STATE MAY PROCURE THE MATERIALS OR SUPPLIES FROM OTHER SOURCES AND HOLD THE CONTRACTOR RESPONSIBLE FOR ANY EXCESS COST OCCASIONED THEREBY, PROVIDED, THAT IF PUBLIC NECESSITY REQUIRES THE USE OF MATERIALS OR SUPPLIES NOT CONFORMING TO THE SPECIFICATIONS THEY MAY BE ACCEPTED AND PAYMENT THEREFORE SHALL BE MADE AT A PROPER REDUCTION IN PRICE.

REPORTING REQUIREMENTS: CONTRACTORS WILL BE REQUIRED TO SUBMIT QUARTERLY PRODUCT SALES REPORT TO THE PURCHASING AGENT PURSUANT TO THE SCHEDULE IN PARAGRAPH 3.13. EACH REPORT MUST CONTAIN THE FOLLOWING INFORMATION: CONTRACT NUMBER; USING DEPARTMENT'S ADDRESS, CONTACT NAME, AND TELEPHONE NUMBER; PRODUCT ORDERED; QUANTITY ORDERED; AND PRICE CHARGED, WITH TOTALS FOR EACH PRODUCT FOR EACH REPORTING PERIOD. WE RESERVE THE RIGHT TO REQUEST ADDITIONAL INFORMATION OR TO MODIFY THE REPORTING PERIODS.

REPORTING PERIODS: QUARTERLY REPORTS MUST BE SUBMITTED IN ACCORDANCE WITH THE FOLLOWING SCHEDULE:

REPORTING PERIOD: JANUARY 1 TO MARCH 31 - REPORT DUE APRIL 15
REPORTING PERIOD: APRIL 1, TO JUNE 30 - REPORT DUE JULY 15
REPORTING PERIOD: JULY 1 TO SEPTEMBER 30 - REPORT DUE OCTOBER 15
REPORTING PERIOD: OCTOBER 1 TO DECEMBER 31 - REPORT DUE JANUARY 15

CONTRACT TERMS: THIS CONTRACT WILL BE SUBJECT TO REVIEW THROUGHOUT ITS TERM. THE STATE WILL CONSIDER CANCELLATION UPON DISCOVERY THAT A VENDOR IS IN VIOLATION OF ANY PORTION OF THE AGREEMENT, INCLUDING AN INABILITY BY THE VENDOR TO PROVIDE THE PRODUCTS, SUPPORT, AND/OR SERVICE OFFERED IN THEIR RESPONSE.

VERMONT STATE COLLEGES: THIS CONTRACT IS ALSO AVAILABLE FOR USE BY THE UNIVERSITY OF VERMONT AND THE VERMONT STATE COLLEGES INC., A SEPARATE CORPORATION, HAVING UNDER ITS JURISDICTION CASTLETON STATE COLLEGE, JOHNSON STATE COLLEGE, LYNDON STATE COLLEGE, COMMUNITY COLLEGE OF VERMONT, AND THE VERMONT TECHNICAL COLLEGE.

TOWNS AND SCHOOLS OF THE STATE OF VERMONT: AT THE BIDDER'S ELECTION POLITICAL SUBDIVISIONS AND INDEPENDENT COLLEGES OF THE STATE MAY PARTICIPATE IN STATE CONTRACTS AT THE SAME PRICES, TERMS AND CONDITIONS. ITEMS FURNISHED TO POLITICAL SUBDIVISIONS AND INDEPENDENT COLLEGES WILL BE BILLED DIRECTLY TO AND PAID FOR BY THE POLITICAL SUBDIVISIONS OR INDEPENDENT COLLEGES AND NEITHER THE STATE NOR ITS COMMISSIONER OF BUILDINGS AND GENERAL SERVICES PERSONALLY OR OFFICIALLY ASSUMES ANY RESPONSIBILITY FOR THESE PAYMENTS.

AGENCIES & DEPARTMENTS ARE REQUESTED TO ADVISE THE PURCHASING AGENT AT ONCE OF THE FAILURE ON THE PART OF THE CONTRACTOR TO FULFILL ANY OF THE TERMS OR CONDITIONS OF THIS CONTRACT.

PLEASE REFER TO THE ASSIGNED CONTRACT NUMBER/PURCHASE ORDER # ON ALL CORRESPONDENCE, DELIVERY DOCUMENTS AND INVOICES.

THE VISA PURCHASING CARD MAY BE USED AS A FORM OF PAYMENT UNDER THIS CONTRACT.

IF YOU HAVE ANY QUESTIONS REGARDING THIS DOCUMENT PLEASE CONTACT:

DONA BOSLEY

SENIOR PURCHASING AGENT

PHONE: 802-828-2217 FAX: 802-828-2222

State of Vermont
Buildings and General Services
Office of Purchasing & Contracting 10 Baldwin St Montpelier VT 05633-7501 USA

Contract ID Page

Vendor ID 00 Swish Kenco PO Box 304 Barre VT 0564 USA

	000000000000000000000000000000000000000	000000016758		23 of 2	23
000001920	Contract Dates		Origin		
Ltd	02/09/2010 to 0	1/31/2011	CPŠ		
	Description:		Contract M	aximum	
! 1	CPS-FLOOR MA	TS (PURCHASE)	\$9,999	9,999.00	
	Buyer Name	Buyer Phone	Contract St	tatus	
	Dona Bosley	828-2217	Approved		

Phone #: 802-479-1002

					Unit	Ma	x Max
Line #	Item ID	Item Desc	UC	M	Price	Qty	/ Amt
dona.bosley@state.vt.us							

WE THE UNDERSIGNED PARTIES AGREE TO BE BOUND BY THIS CONTRACT

By the STATE of VERMONT	By the CONTRACTOR
Date:	Date:
Signature:	Signature:
Name:	Name:
Title:	Title:
Email:	Email: